


Installation Instructions

ITEM NO.:PSTVS04

For any parts enquiries, please contact AV Supply Group as below: New Zealand P 64 9 274 9172 E info@avsupply.co.nz
Australia P 61 3 9071 4585 E info@avsupplygroup.com.au



UNPACKING INSTRUCTIONS

- Carefully open the carton, remove contents and lay out on cardboard or other protective surface to avoid damage.
- Check package contents against the Supplied Parts List in the next page to assure that all components were received undamaged. Do not use damaged or defective parts.
- Carefully read all instructions before attempting installation.

IMPORTANT SAFETY INFORMATION



Install and operate this device with care. Please read this instruction before beginning the installation, and carefully follow all instructions contained herein. Use proper safety equipment during installation.


Please call a qualified installation contractor for help if you:

- If you don't understand these directions or have any doubts about the safety of the installation.
- If you are uncertain about the nature of your wall, consult a qualified installation contractor.







Do not use this product for any purpose or in any configuration not explicitly specified in this instruction. We hereby disclaim any and all liability for injury or damage arising from incorrect assembly, incorrect mounting, or incorrect use of this product.



Step 1**Connecting the Support Column to Tempered Glass**

(O) Tempered Glass		1
(W) Foot pads		4









Place foot pads(W) on the bottom of the base(O) at the corners



(P) Support Column		1
(R) Metal Pad		1
(L) M6x25 Bolt		3
(X) Plastic cover		1
(Y) Plastic cover		1
(Z) Paper spacer		1



If you find the support column(P) is not in the correct direction please see figure 1.1 above. Loosen M6x25 screws(L), adjust the support to the correct direction then tighten screws again



Step 2**Connecting the TV Plate to Support Column**

(M) TV Plate		1
(Q) M6 Nut		4
(S) M6x40 Bolt		4
(T) D6 Washer(h)		4
(U) Level		1
(V) Wrench		1













Connecting TV plate to support column by using M6x40 screws and supporting with D6 washer and M6 nut, please see above.


Use the bubble level and put it on the TV wall plate. Make sure the bubble is horizontal and level while installing. If the TV wall plate is not level, please adjust the four M6 nuts until it is level.

(J)Wire Clip		2	<h3 style="text-align: center; margin: 0;">Attaching wire clips (J)</h3> 
--------------	--	---	---

Step 3

Mounting the Monitor Brackets to a TV

(N)Monitor Bracket		2
(A)M4x16 Bolt		4
(B)M4x30 Bolt		4
(C)M6x16 Bolt		4
(D)M6x30 Bolt		4
(E)M8x16 Bolt		4
(F)M8x45 Bolt		4
(G)Spacer		4
(H)Ø8.5x18x5 Washer		8
(I)Ø8.5x18x10 Washer		8



First, make sure the diameter of the bolt(A-F) fits your TV. Then, please see the diagram above. You will need to thread the bolt into the TV using the correct spacer(G) and washer(H or I) if necessary. Please make sure the monitor brackets are vertically centered and level with each other

Step 4


Attaching TV To TV Plate and Managing the Wires

(K) Safety lock



2


4.1




4.2

Place safety lock at the appointed position. then tighten screws.

Safety lock




1#





4.3

Height adjustable vertical bracket



The second choice

The first choice



If you find your TV set is too close to the base, please take the screen off from the stand. Then, change to the second choice.

4.4

Allows more space between TV and base